



24.11.2004



INVESTOR IN PEOPLE

The Patent Office
 Concept House
 Cardiff Road
 Newport
 South Wales
 NP10 8QQ

REC'D 16 DEC 2004

WIPO

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 23 September 2004

PRIORITY DOCUMENT
 SUBMITTED OR TRANSMITTED IN
 COMPLIANCE WITH
 RULE 17.1(a) OR (b)

BEST AVAILABLE COPY



The Patent Office

Cardiff Road
Newport
Gwent NP10 8QQ

Request for grant of a patent


(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

1.	Your reference	DAG/P702513GB		
2.	Patent application number (The Patent Office will fill in this part)	02 OCT 2003		0323087.7
3.	Full name, address and postcode of the or of each applicant (<u>underline all surnames</u>)	NEC Technologies (UK) Ltd Level 3 Imperium, Imperial Way Reading, Berkshire, RG2 0TD		
	Patents ADP number (if you know it)	07012313002		
	If the applicant is a corporate body, give the country/state of its incorporation	UK		
4.	Title of the invention	Mobile Radio Communications Device and Method of Operation and Communications system		
5.	Name of your agent (if you have one)	W.P. THOMPSON & CO.		
	"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	55 Drury Lane London WC2B 5SQ		
	Patents ADP number (if you know it)	158007		
6.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application number (if you know it)	Date of filing (Day/month/year)
7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application		Date of filing (Day/month/year)
8.	Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'yes' if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))	YES		

Patents Form 1/77

9. Enter then number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description	7
Claims(s)	4
Abstract	1
Drawing(s)	1 

10. If you are also filing any of the following, state how many against each item.

Priority documents


Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination and search (*Patents Form 9/77*) 1

Request for substantive examination (*Patents Form 10/77*) 1

Any other documents
(Please specify)

11. I/We request the grant of a patent on the basis of this application
- Signature  Date October 2, 2003
- W.P. THOMPSON & CO.**

12. Name and daytime telephone number of person to contact in the United Kingdom David Alan Gill
020 7240 2220

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 01645 500505
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

MOBILE RADIO COMMUNICATIONS DEVICE
AND RELATED METHOD OF OPERATION
AND COMMUNICATIONS SYSTEM

5 The present invention relates to a mobile radio communications device and to a related method of operation and communication system including a network arrangement.

10 An important requirement when seeking to reduce the size and weight, and also to increase operability, of a mobile radio communications device, relates to the power requirements of a device. If power requirements can be reduced then the useful lifetime of the device can be increased and/or the size of the device can likewise be reduced.

15 Recent attempts to reduce the power consumption within mobile radio communication devices have tended to employ the concept of discontinuous reception which generally allows for the device to remain active, but in a sleep or idle mode, and not requiring full access to the network nor the reception of signals therefrom.

20 Such discontinuous reception is known in Global System for Mobile Communications (GSM) devices and also in Universal Mobile Telecommunications System (UMTS) systems and which allows for the device to save power when in an idle mode since the device is not then required to
25 continuously to receive downlink channels from the network.

 Recent developments for mobile radio communication devices have included the provision of broadcast services such as Multimedia Broadcast Multicast Services (MBMS) which allow for the provision of specifically tailored
30 information, i.e. news information and/or sport information, to be broadcast to a predetermined number of mobile communication devices, i.e. generally any

such devices owned by users who have subscribed to a particular broadcast service.

For MBMS enabled devices, it is required that a notification channel to
5 be employed by the broadcast service be read continually within the mobile device so as to achieve appropriate functionality.

Such functionality requires that the mobile communications device be informed when the MBMS sessions are to commence, and so that the device
10 can be informed of the MBMS channel type, for example whether the channel type comprises a point-to-point channel type or whether it comprises a point-to-multipoint channel type. Also, the mobile communications device can learn from data on the notification channel whether the network needs counting such that, if counting is required, each mobile communications device subscribing to
15 the service can declare itself to the cell of the devices that are to receive the MBMS session and the cell can then determine which channel to employ.

As will be appreciated from the above, current operation of a MBMS arrangement requires monitoring of the notification channel in order to receive
20 the information available and such continuous monitoring of the notification channel disadvantageously increases the power consumption required at the mobile radio communications device even the actual MBMS transmission is arranged to take place later. Thus, in view of such continuous monitoring, it is currently not viable for MBMS enabled devices to enter into a power-saving
25 mode such as the discontinuous reception (DRX) arrangement noted above.

The present invention can seeks to provide for a mobile radio communications device, related method of operation and related communications system arranged for use with a broadcast service and which
30 have advantages over known systems as noted above.

In particular, the present invention proposes particular advantages allowing for aspects of power saving within devices and related systems allowing for broadcast sessions.

5 According to one aspect of the present invention there is provided a mobile radio communications device arranged for receiving a broadcast service and including reception means for reading a channel to be employed by the broadcast service, means for receiving otherwise than via the said channel scheduling information related to the broadcast service, means for
10 determining from the scheduling information a start time of the broadcast service on the channel, and means for determining from the scheduling information preparation time of the broadcast service and requiring transmission on the said channel prior to the said start time of the broadcast service, and means for inhibiting monitoring of the said channel at the
15 reception means until a time determined by the said start time less the said preparation time.

 The present invention advantageously employs knowledge of the broadcast service transmission start time, and also a particular parameter
20 related to the preparation time, so as to identify an appropriate time at which monitoring of the notification channel can be enabled so that all information related to the broadcast service to be commenced can be received at the mobile device.

25 Preferably, the means for inhibiting monitoring of the said channel comprises a software control means.

 The scheduling information can advantageously be retrieved from a service announcement phase of data supplied to the device or from other
30 signalling levels.

Preferably the data relating to the preparation time can be delivered to the device during a service announcement phase.

According to another aspect of the invention there is provided a method
5 of operating a mobile radio communications device arranged for receiving the
broadcast service and including the steps of reading a channel to be employed
by the broadcast service, receiving, otherwise and via the said channel,
scheduling information related to the broadcast service, determining from the
scheduling information the start time of the broadcast service on the said
10 channel, determining from the scheduling information preparation time of the
broadcast service and which requires transmission on the said channel prior to
the start of the broadcast service and further including the step of inhibiting
monitoring of the said channel until a time determined by the start time less the
said preparation time.

15

The present invention can therefore advantageously allows for a
reduction in power consumption by allowing the mobile device to operate
without the need to read, for example, the MBMS notification channel until the
MBMS service is about to commence.

20

Yet further advantages can arise insofar as the mobile device is
arranged to trigger any uplink signalling required for the counting procedure in
the network when the device starts to read the notification channel.

25

The invention is described further hereinafter, by way of example only,
with reference to the accompanying drawing which is a timing diagram
illustrating the scheduling information flow between User Equipment (UE) and
a rated network in accordance with an embodiment of the present invention.

30

As noted above, the present invention proposes a reduction in power
consumption within a mobile radio communications device enabled for a
reception of broadcast services and, in the illustrated example, such a service

comprises MBMS. The control offered in accordance with the invention allows for the mobile device to read the MBMS notification channel until the MBMS services are about to take place.

5 In order to determine the time at which monitoring of the notification channel should no longer be inhibited, this described embodiment of the invention proposes the identification of the start time and which MBMS transmissions are to start on the channel and also, importantly, a parameter related to the preparation time within the Universal Terrestrial Radio Access
10 Network (UTRAN). The information relating to such preparation and time, as with the start time, maybe supplied to the mobile device during a service announcement phrase. Within the device, the MBMS UTRAN preparation time identified is subtracted from the MBMS transmission start time in order to
15 arrive at a time at which the mobile terminal should commence monitoring of the notification channel in order to receive all the required MBMS notification data.

The software arrangement within a software model within the higher layers, for example the application layer or middle layer, within the device can
20 advantageously be employed to use the information noted above, i.e. the MBMS transmission start time and MBMS UTRAN preparation time. The invention can then provide for an accurate control of the disabling/enabling of the monitoring of the notification channel and which leads to the power-saving advantages exhibited in accordance with the present invention.

25 With regard to the parameter now identified as MBMS UTRAN preparation time, it is noted that such preparation time is generally required by the UTRAN for counting the number of mobile devices within the MBMS service area and, in accordance with a particular advantage, the triggering of
30 the counting procedure can be initiated at the mobile device allowing for the device to trigger the uplink signalling required for the aforesaid counting when the device starts to read the MBMS notification channel.

Turning now to the accompanying drawing, this embodiment of the present invention is described further.

5 As can be seen, the accompanying drawing comprises a timing diagram relating to transmissions within a communications network 10 and between a network 12 and user equipment 14 such as a mobile phone.

10 The vertical axis of the diagram in a direction running from the top of the diagram relates to elapsing time.

 The operation within the device 14 commences with a service announcement 16 issued by the network 12 although the information could be provided over other signalling levels, and within the service announcement 16
15 there is provided data relating to the MBMS transmission start time and the MBMS preparation time.

 The MBMS transmission start time will identify the time 18 at which data transfer is due to commence as part of the MBMS session although, as
20 noted above, the user equipment 14 will have to commence monitoring of the notification channel at an earlier time than this so as to receive all data relating to the required MBMS preparation so as to allow for, for example, the counting procedure if required as noted above.

25 Once the MBMS preparation time period 20 has been identified for the user equipment 14, then a software module within the user equipment, and generally provided at a higher level such as within the application or middleware layers, serves to determine the exact time 22 at which monitoring of the notification channel should commence, and which is prior to the
30 transmission start time 18 by a time period equivalent to the MBMS preparation time 20. Thus, the MBMS session is effectively enabled at 22 so

that all data relating to the MBMS preparation, and the subsequent data transfer is received by the user equivalent 14.

5 Subsequent to the start of the data transfer 18, data such as an MBMS bearer release 24 and the user equipment leaving signal 26 is transmitted between the network 12 and user equipment 14 as illustrated in the drawing.

10 The present invention advantageously leads to the adjustment of the content of the MBMS signalling and the implementation of the above-mentioned software module on the terminal side in order to schedule the MBMS notification channel monitoring based on both the MBMS transmission start time and the MBMS preparation time parameters.

15 It should of course be appreciated that the present invention is not restricted to the details of the foregoing embodiment.

For example, the data relating to the MBMS transmission start time may be provided over other signalling levels than the service announcement phase although it is important that the broadcast service includes scheduling information relating to an at least informal estimate of when the particular broadcast service is due to commence.

20

Through the above-mentioned control of the enabling disabling of monitoring of the notification channel, a mobile radio communications device arranged for use with broadcast services such as MBMS can advantageously also exhibit power-saving characteristics such as those arising with DRX arrangements.

25

Claims

1. A mobile radio communications device arranged for receiving a broadcast service and including reception means for reading a channel to be employed by the broadcast service, means for receiving otherwise than via the said channel scheduling information related to the broadcast service, means for determining from the scheduling information a start time of the broadcast service on the channel, and means for determining from the scheduling information preparation time of the broadcast service and requiring transmission on the said channel prior to the said start time of the broadcast service, and means for inhibiting monitoring of the said channel at the reception means until a time determined by the said start time less the said preparation time.
2. A device as claimed in Claim 1, wherein the means for inhibiting monitoring of the said channel comprises a software control means.
3. A device as claimed in Claim 1 or 2, and arranged so as to retrieve scheduling information from a service announcement phase of data supplied to the device.
4. A device as claimed in Claim 1 or 2, and wherein the scheduling information is arranged to be provided over signalling levels different from the service announcement phase.
5. A device as claimed in any one or more of Claims 1-4, and wherein the data relating to the preparation time is

delivered to the device during a service announcement phase.

6. A device as claimed in any one or more of the preceding claims, wherein the preparation time includes time required by the network for counting the number of mobile devices requiring receipt of the broadcast session.
 7. A device as claimed in Claim 6, and arranged so as to trigger uplink signal relating to the said counting upon commencement of monitoring of the notification channel.
 8. A device as claimed in any one or more of the preceding claims wherein the broadcast service comprises a MBMS service.
 9. A device as claimed in Claim 8, wherein the said channel comprises a MBMS notification channel.
 10. A device as claimed in any one or more of the preceding claims, and comprising a cellular phone.
 11. A method of operating a mobile radio communications device arranged for receiving the broadcast service and including the steps of reading a channel to be employed by the broadcast service, receiving, otherwise and via the said channel, scheduling information related to the broadcast service, determining from the scheduling information the start time of the broadcast service on the said channel, determining from the scheduling information preparation time of the broadcast service and which requires transmission on the said channel prior to the start

of the broadcast service and further including the step of inhibiting monitoring of the said channel until a time determined by the start time less the said preparation time.

5

12. A method as claimed in Claim 11, wherein the said monitoring is inhibited by way of software control means.

10

13. A method as claimed in Claim 11 or 12, and including the step of retrieving scheduling information from a service announcement phase of data supplied to the device.

15

14. A method as claimed in Claim 11, 12 or 13, and wherein scheduling information is arranged to be provided over signalling levels different from the service announcement phase.

20

15. A method as claimed in any one or more of Claims 11-14, and wherein the data relating to the preparation time is delivered to the device during a service announcement phase.

25

16. A method as claimed in any one or more of Claims 11 to 15, wherein the preparation of time includes time required by the network for counting the number of mobile devices requiring receipt of the broadcast session.

30

17. A communication system comprising a network including a mobile radio communications terminal as defined in any one or more of Claims 1-10.

18. A system as claimed in Claim 17, wherein the said network comprises a MBMS UTRAN.
19. A mobile radio communications device substantially as hereinbefore described with reference to and as illustrated in the accompanying drawing.
20. A method of operating a mobile radio communications device substantially as hereinbefore described with reference to and as illustrated in the accompanying drawing.
21. A communication system substantially as hereinbefore described with reference to and as illustrated in the accompanying drawing.

ABSTRACT
MOBILE RADIO COMMUNICATIONS DEVICE
AND RELATED METHOD OF OPERATION
AND COMMUNICATIONS SYSTEM

5

The present invention provides for a mobile radio communications device arranged for receiving a broadcast service and including reception means for reading a channel to be employed by the broadcast service, means
10 for receiving otherwise than via the said channel scheduling information related to the broadcast service, means for determining from the scheduling information a start time of the broadcast service on the channel, and means for determining from the scheduling information preparation time of the broadcast service and requiring transmission on the said channel prior to the said start
15 time of the broadcast service, and means for inhibiting monitoring of the said channel at the reception means until a time determined by the said start time less the said preparation time.




Fig. 1.